


Medidas nominales	
1000	±12
1200	±0.8
1400	±0.5
1600	±0.2
1800	±0.15
2000	±0.1

Medidas nominales	
1000	±0.15
1200	±0.1
1400	±0.08
1600	±0.07
1800	±0.06
2000	±0.05

Tolerancias generales de forma	
1	0.05
2	0.1
3	0.15
4	0.2
5	0.3
6	0.4
7	0.5
8	0.6
9	0.8
10	1.0

Tolerancias generales de posición	
1	0.1
2	0.15
3	0.2
4	0.3
5	0.4
6	0.5
7	0.6
8	0.8
9	1.0
10	1.2



Matar aristas vivas



	Admis. dif. with sizes without tolerances	Surface	Scale: 1:1	Weight: 3.5 Kg.	Pos.: 68
	DIN 7168 Rough	Material: Your order	Pattern n°:		
	Date	Name	EXTENSION SHELL DN-100Q SIMPLE EX / Length=100		
	28-11-22	J. Solé			
	28-11-22	C.C.			
	Appro. 28-11-22	J.R.			
		JC Fabrica de Válvulas, S.A.U. <small>(CASA SAN JUAN DE LABRADOR) (Spain)</small> www.jcvalves.com e-mail: tech@jcvalves.com			
0	1st issue	11-22	J.S.B.	C.C.	J.R.
Rev.	Modification	Date	Done	Chk.	App.
This drawing is our property. It is strictly forbidden to use the drawing, to give it to third parties or to reproduce it, totally or partially, without our permission.					

IMPORTANTE: Tener en cuenta la posición de los taladros en ambas bridas.  
 IMPORTANT: Note the position of the holes on both flanges.



Drawing n°: CABF10F10100Q  
 Subs.:  
 Subs. by: